

# HYE60YL63

تقنية : Category

2024 نوفمبر written by Mahdi MILED | 19

**HUAYI**

MODEL	HYE60YL63	
Refrigerant	R134a	
Application	Low Back Pressure (LBP)	
Motor Type	RSCR	
Cooling Method	Static Cooling	
Cooling Capacity	Kcal/Hr	150.5
	Btu/Hr	597.1
Power Input	W	159
EER	Btu/W.Hr	3.75
Displacement	Cm <sup>3</sup>	6.05
Oil Charge	cc	200
Voltage Range*	v	160-254
Net Weight	Kg	8.14
Gross Weight	Kg	8.74
Electrical Accessories :		
Part Name	Model No.	
Start Relay	QP2-12/B3	
Thermal Protector	DRB23P61A1	
Run Capacitor	3.0 $\mu$ F (female 6.3)	

**trucool**

**A.M.B.S.M.PRO**

Huayi, HYE60YL63, Compresseur, 1/5 cv, r134a, 146 kcal, tout cuivre

## مواصفات ضاغط HYE60YL63

HYE60YL63 هو ضاغط تبريد تنتجه شركة هوياي، وهو مصمم للاستخدام مع المبرد R134a. إليك أهم المواصفات والميزات:

## المواصفات

- القدرة: 1/5 حصان ( حوالي 0.15 كيلو واط)
- سعة التبريد: حوالي 146 إلى 150.5 كيلو كالوري/ساعة، حسب المصدر.
- المبرد: R134a
- نوع المحرك: RSCR (محرك أحادي الطور، بدء تشغيل بسعة مكثف، تشغيل بسعة مكثف).
- الجهد الكهربائي: عادةً يعمل على 220-240 فولت.

## الأداء

هذا الصاغط مناسب لمجموعة متنوعة من تطبيقات التبريد، حيث يوفر تبريدًا فعالًا تحت ظروف nominal. يمكنه العمل بكفاءة عند درجات حرارة تبخر منخفضة (حتى -25 درجة مئوية).

## البناء

يتميز HYE60YL63 بناءً كامل من النحاس، مما يعزز المتانة الكفاءة في توصيل الحرارة. يستخدم هذا الصاغط عادةً في أنظمة التبريد التجارية ويمكن العثور عليه من مختلف الموردين عبر الإنترنت.



Picture Private Copyright [WWW.MBSMGROUP.TN](http://WWW.MBSMGROUP.TN)

[www.mbsm-tn-private-media\\_HYE60YL63](http://WWW.MBSM-TN-PRIVATE-MEDIA.HYE60YL63)