

hsl25ye-5

Category: تقنية

2024 written by Mahdi MILED | 28 نوفمبر



Private Medias Copyright Mbsm.tn

Picture Private Copyright WWW.MBSMGROUP.TN

Compresseur DAEWOO , HSL25YE-5, 1/4 hp , 1PH, R134a
,220-240V 50Hz,Puissance frigorifique 204 W ,690 BTU

AW101FT-015

Category: عن تجربة

2024 written by Mahdi MILED | 28




Tecumseh 2-1/4 HP, 208-230V, 1 PH, 28,000 BTU, R22, Hermetic
(Reciprocating) Compressor Replacement OEM Upgraded
Tecumseh Compressor

GN-B392PXGB

Category: صور

2024 written by Mahdi MILED | 28 نوفمبر



Private Medias Copyright Mbsm.tn

Picture Private Copyright WWW.MBSMGROUP.TN

inverter


Réfrigérateur LG GN-B392PXGB No Frost - 2 Portes
- **Capacité Totale:** 423 Litres - **Capacité Nette:** 395 Litres
- **Capacité du Congélateur:** 90 Litres - **Système de refroidissement:** No Frost - **Compresseur LINEAR Cooling**
- **Multi-Air Flow - Smart Diagnosis - Door Cooling+** - Écran

Interne LED - **Compartiment:** 2x Clayette Verre trempé - 1x Clayette plateau coulissant - 4x Panier de porte - Casier à œufs - Panier de porte - Stockage pour bouteille de 2 Litres - Machine à glaçons one Touch Twist - **Dimensions:** 680 x 1760 x 700 mm



Private Medias Copyright Mbsm.tn

Picture Private Copyright WWW.MBSMGROUP.TN



REFRIGERATOR-FREEZER

MODEL	GN - B392RQCC
FREEZER STAR RATING	***
CLIMATE CLASS	T
RATING	220V ~ 50Hz
RATED CURRENT	1.4A
DEFROSTING INPUT	195W
RATED INPUT OF HEATER CORD	135W
RATED INPUT OF LAMP R	-
NET VOLUME TOTAL	321 l
- FREEZER COMPARTMENT	75 l
- TWO STAR SECTION **	7 l
- REFRIGERATOR COMPARTMENT	239 l
TEMPERATURE RISE TIME	12h
FREEZING CAPACITY	3.5kg/24h
NET WEIGHT	66kg
REFRIGERANT	R134a 125g
INSULATION BLOWING AGENT	CYCLOPENTANE
DIMENSIONS	608(W)x711(D)x1711(H)mm
SERIAL No.:	401INGQ28119

MADE IN INDONESIA

MEZ64834129

www.Mbsm.pro


Private Medias Copyright Mbsm.tn

Picture Private Copyright WWW.MBSMGROUP.TN

الدائرة الكهربائية للديب فريزر الأفقي

Category: عن تجربة

2024 written by Mahdi MILED | 28



الدائرة الكهربائية للديب فريزر الأفقي

EGM66AA

Category: تقنية

2024 written by Mahdi MILED | 28 نوفمبر



Private Medias Copyright Mbsm.tn

Picture Private Copyright WWW.MBSMGROUP.TN

compressor, ZMC, Misr, Compressor Manufacturing Co, R134a, 220/240V, 1/5 hp, LBP,EGM70AZ,EGM70AF,EGM66AF

GP16TG

Category: تقنية

2024 | نوفمبر, written by Mahdi MILED | 28



Private Medias Copyright Mbsm.tn


Picture Private Copyright WWW.MBSMGROUP.TN

Compressor, Cubigel, 3/8 hp, Huayi ,GP16TG, HMBP, R134a,
200-230V/50-60Hz, capacitor star 72- 88 / 330

CRD1-0200


Category: تقنية

2024 نوفمبر written by Mahdi MILED | 28

Copeland 

MODEL MADE IN U.S.A. MARCA  STRADA

CRD1-0200-PFU-270



SERIAL 92J17966H 02250-045

 **XE**

OIL	MO	VOLTS	THERMALLY PROTECTED		
			PH	HZ	LRA
55	E	208/230	1	60	59.0
PRO	T	200		50	

Picture stolen Copyright Mbsm.in

Copeland, CRD1-0200, 2 HP, 208-230V, 1 PH, 24,500 BTU, R22,
R407C, Hermetic (Reciprocating) Compressor Replacement •
OEM Upgraded Copeland Compressor

SZ55C1J

Category: تقنية

2024 written by Mahdi MILED | 28 نوفمبر




Réfrigérateur, Mini compresseur, GMCC, Série C, TOSHIBA, SZ55C1J, 75 w, 1/10 hp, LBP, r600a, Réfrigérateur-Congélateur, HRD-071S, 64 L

HVAC

Category: Facebook

2024 نوفمبر، written by Mahdi MILED | 28



Picture Private Copyright WWW.MBSMGROUP.TN

حسابات أنظمة استعادة الطاقة لوحدات AHU بالتكييف المركزي
HVAC - Energy Recovery Unit Calculation Method

EGU110HLCW

Category: تقنية

2024 written by Mahdi MILED | 28 نوفمبر



Picture Private Copyright WWW.MBSMGROUP.TN

Compresseur EMBRACO, EGU110HLCW, R134a, 220-240 V 50-60 Hz, LBP, 9,5 c.c., RSCR, 1/3 hp, Watt 274/325, Kcal 236/280, Btu/h 935/1110

Bitzer F152H

Category: تقنية

2024 written by Mahdi MILED | 28



Picture Private Copyright WWW.MBSMGROUP.TN

بيزر F152H يتميز بعدة خصائص رئيسية تجعله مناسبًا للاستخدام في أنظمة التبريد. إليك أبرز الميزات:

eCz444HG-13M-37E1

Category: تقنية

2024 written by Mahdi MILED | 28 نوفمبر



Picture Private Copyright WWW.MBSMGROUP.TN

Copeland, Hermetic, Compressor, Emerson, Compressor,
ECZ444HG, 1/2 hp, hbp, 10.5 cc

CR28KQ-PFZ

Category: تقنية

2024 written by Mahdi MILED | 28 نوفمبر



Picture Private Copyright WWW.MBSMGROUP.TN

Copeland, Hermetic, Compressor, 2.22 hp, CR28KQ-PFZ, HCFC, R-22, 50 Hz, 1-phase, 200/240 V, Power (W): 2260 1700, EER (Btu/Wh): 9.50 6.80, Phase: 1

SZ99H1H

Category: تقنية

2024 written by Mahdi MILED | 28 نوفمبر



Picture Private Copyright WWW.MBSMGROUP.TN

Gmcc, Sz99h1h, Refrigerator, Compressor, 1/4 hp, lbp, r600a

CR37KQ-PFT-240BN

Category: تقنية

2024 | 28 written by Mahdi MILED, نوفمبر



Picture Private Copyright WWW.MBSMGROUP.TN

Copeland 3 HP, 265-277V/60 Hz/1 PH and 220-240V/50 Hz/1 PH,
R22, R407C, Scroll Compressor Replacement • OEM Upgraded
Copeland Compressor

FF10BX

Category: تقنية

2024 نوفمبر, written by Mahdi MILED | 28



Picture Private Copyright WWW.MBSMGROUP.TN

Embraco FF10BXWAT, compressor, r12, 1/4 hp, Capacitor star 270 to 324 microfarads (μ F), lbp

Feet to hp to Litre

Category: تقنية

2024 written by Mahdi MILED | 28



Picture Private Copyright WWW.MBSMGROUP.TN

تحويل اللتر الى قدم مكعب والعكس
هذا القياس يستخدم في الثلاجات والمجمدات والبرادات
القانون (اللتر ÷ 28.3 = القدم)
القانون (القدم × 28.3 = اللتر)
مثال / ثلاجه ووجدت في لوحة المعلومات مذكور 400 لتر كيف يكون حجمها
بالقدم ؟



الجواب / نقوم تقسيم اللتر المذكور على 28.3 يساوي حجم الثلاجه او المجمده
بالقدم المكعب
400 لتر ÷ 28.3 =
14.1 قدم حجم الثلاجه او المجمده

EGL70AT

Category: تقنية

2024 written by Mahdi MILED | 28 نوفمبر،



Picture Private Copyright WWW.MBSMGROUP.TN

Compresseurs ZMC, EGL70AT, 1/5Hp, 1Ph, GL70AT, R-134a, efficacité standard, 220-240V 50Hz, compresseur Cubigel, Cubigel, RSIR, LBP - LST - S, sans condensateur de démarrage

LX110LAJM

Category: تقنية

2024 written by Mahdi MILED | 28

Fixed Speed R134A [5 of 5]

Application : LBP

Refrigerant	Series	Model	Motor Type	Voltage	Frequency	Test Condition	Performance					Dimension
				[V]	[Hz]		Capacity		EER	COP	Height [mm]	
							[Kcal/hr]	[Btu/Whr]	[Watts]	[Btu/Whr]		[W/W]
R134A	LX	LX72LATG	RSR	220 ~ 240	50	ASHRAE -23.3 °C / 54.4 °C	170	675	198	4.24	1.24	203
				220	60		213	846	248	4.67	1.37	
		LX72LHJH	CSR	220	50		172	683	200	4.24	1.24	203
				LX72LHJF	CSR		110 ~ 115	60	213	846	248	3.91
		LX86LACM	RSCR	115			60	245	973	285	4.91	1.44
		LX86LADM		RSCR	220		60	250	993	291	5.14	1.51
		LX86LCEG	RSR		220 ~ 240		50	194	770	226	4.23	1.24
		LX86LHCM		RSCR	115		60	245	973	285	4.79	1.40
		LX86LHEM	RSCR		220 ~ 240		50	194	770	226	4.30	1.26
		LX86LPBP		CSR	220		50	196	778	228	4.10	1.20
			220		60		247	981	287	4.50	1.32	
		LX95LABH	CSR	220	50		230	913	267	4.35	1.27	203
				220	60		280	1,112	326	4.96	1.45	
		LX95LABM	RSCR	220	50		230	913	267	4.35	1.27	203
				220	60		280	1,112	326	4.96	1.45	
		LX95LAQH	CSR	110 ~ 115	60		285	1,131	331	4.92	1.44	203
				LX95LBHM	RSCR		220	50	230	913	267	4.41
		220	60				280	1,112	326	4.97	1.46	
		LX110LAH	CSR	100	50		270	1,072	314	4.20	1.23	203
				100	60		300	1,191	349	4.67	1.37	203
		LX110LAIM	RSCR	220	50		270	1,072	314	4.54	1.33	203
		LX110LAJH	CSR	220	50		270	1,072	314	4.54	1.33	203
		LX125LAJM	RCSR	220	50		315	1,251	366	4.50	1.32	203
		LX125LAJP	CSR	220	50		315	1,251	366	4.42	1.29	203
		LX125LBJM	RSCR	220	50		300	1,191	349	4.25	1.24	203

· LX

736

220

Picture Private Copyright WWW.MBSMGROUP.TN

ضاغط LG LX110LAJM هو ضاغط ثلاثيات يعمل بقدرة 1/2 حصان

SLV15CNK

Category: تقنية

2024 نوفمبر، written by Mahdi MILED | 28



Picture Private Copyright WWW.MBSMGROUP.TN

Compressor SLV15CNK.2. Speed: 2000/2500/3000/4000 rev/min
More features: LBP 12 kg displacement 15.2 cm frequency: 50/60 Hz
12 kg 15,28 cm 3 Height: 199 mm Refrigerant: R290
power at -15°C: 615/792/996/10 228 W power at -20°C: 467/602/759/941 W
power at -25°C: 39°C: 39°C: 39°C: 3/509/645/805 W 311/402/510/638 W
tension: 22 0-240 V